

DOORS		LoE²-272[®]				
		LoE³-366[®]				
NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit	
Clad Units						
Clad Inswing French Door - 3/4" IG						
Insulating Low E 272 Glass - Argon	0.31	0.23	0.39	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.21	0.35	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.21	0.35	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, GBG	0.31	0.21	0.35	N, NC, SC, S		
Insulating Low E 366 Glass - Argon	0.31	0.16	0.35	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.14	0.31	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.14	0.31	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, GBG	0.31	0.14	0.31	N, NC, SC, S		

Clad Inswing French Door Sidelite - 3/4" IG						
Insulating Low E 272 Glass - Argon	0.32	0.23	0.39	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.33	0.21	0.35	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.32	0.21	0.35	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, GBG	0.32	0.21	0.35	N, NC, SC, S		
Insulating Low E 366 Glass - Argon	0.31	0.16	0.35	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.14	0.32	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.14	0.32	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, GBG	0.31	0.14	0.32	N, NC, SC, S		

Clad Inswing French Door Sidelite Transom - 3/4" IG						
Insulating Low E 272 Glass - Argon	0.30	0.29	0.51	N, NC, SC, S	X	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.26	0.45	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.26	0.45	N, NC, SC, S	X	
Insulating Low E 272 Glass - Argon, GBG	0.30	0.26	0.45	N, NC, SC, S	X	
Insulating Low E 366 Glass - Argon	0.29	0.20	0.45	N, NC, SC, S	X	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.18	0.40	N, NC, SC, S	X	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.18	0.40	N, NC, SC, S	X	
Insulating Low E 366 Glass - Argon, GBG	0.29	0.18	0.40	N, NC, SC, S	X	

Clad Inswing French Panel Door - 3/4" IG						
Insulating Low E 272 Glass - Argon	0.34	0.13	0.21	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.12	0.19	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.34	0.12	0.19	N, NC, SC, S		
Insulating Low E 272 Glass - Argon, GBG	0.34	0.12	0.19	N, NC, SC, S		
Insulating Low E 366 Glass - Argon	0.34	0.09	0.19	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.34	0.08	0.17	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.34	0.08	0.17	N, NC, SC, S		
Insulating Low E 366 Glass - Argon, GBG	0.34	0.08	0.17	N, NC, SC, S		

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLТ	ENERGY STAR	Qualifies for Tax Credit
--------------------------------	---------	------	-----	-------------	--------------------------

Clad Inswing French Panel Door Sidelite - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.34	0.13	0.21	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.34	0.12	0.19	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.34	0.12	0.19	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.34	0.09	0.19	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.08	0.17	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.34	0.08	0.17	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.34	0.08	0.17	N, NC, SC, S	

Clad French Door Transom - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.30	0.27	0.46	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.24	0.40	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.24	0.40	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.30	0.24	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.30	0.18	0.41	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.16	0.36	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.30	0.16	0.36	N, NC, SC, S	X

Clad 2 1/4" Inswing French Door - 1" IG					
Insulating Low E 272 Glass - Argon	0.30	0.20	0.34	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.18	0.30	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.18	0.30	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon	0.29	0.14	0.31	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.12	0.27	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.12	0.27	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	NA	NA	NA	NA	

Clad 2 1/4" Inswing French Door with Panels - 1" IG					
Insulating Low E 272 Glass - Argon	0.30	0.11	0.18	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.10	0.15	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.10	0.15	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon	0.30	0.07	0.16	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.07	0.14	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.07	0.14	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	NA	NA	NA	NA	

Clad Outswing and Ultimate French Door - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.32	0.23	0.39	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.33	0.21	0.35	N, NC, SC, S	

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.32	0.21	0.35	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.32	0.21	0.35	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.31	0.16	0.35	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.14	0.31	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.14	0.31	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.31	0.14	0.31	N, NC, SC, S	

Clad Outswing and Ultimate French Panel Door - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.35	0.13	0.21	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.34	0.09	0.19	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.08	0.17	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.34	0.08	0.17	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.34	0.08	0.17	N, NC, SC, S	

Clad Outswing/Ultimeate French Door Sidelite - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.32	0.23	0.39	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.33	0.21	0.35	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.32	0.21	0.35	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.32	0.21	0.35	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.32	0.16	0.35	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.33	0.15	0.32	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.32	0.15	0.32	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.32	0.15	0.32	N, NC, SC, S	

Clad Outswing/Ultimeate French Door Sidelite Transom - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.30	0.30	0.50	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.27	0.45	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.27	0.45	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.30	0.27	0.45	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.30	0.20	0.45	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.18	0.40	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.18	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.30	0.18	0.40	N, NC, SC, S	X

Clad Outswing/Ultimeate French Door Transom - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.31	0.27	0.46	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.24	0.40	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.24	0.40	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.31	0.24	0.40	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.30	0.18	0.41	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.16	0.36	N, NC, SC, S	

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.30	0.16	0.36	N, NC, SC, S	X

Clad Outswing/Ultimate French Panel Door Sidelite - 3/4" IG

Insulating Low E 272 Glass - Argon	0.35	0.13	0.21	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.35	0.12	0.19	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.35	0.09	0.19	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.35	0.08	0.17	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.35	0.08	0.17	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.35	0.08	0.17	N, NC, SC, S	

Clad 2 1/4" Outswing French Door - 1" IG

Insulating Low E 272 Glass - Argon	0.30	0.20	0.34	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.18	0.30	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.18	0.30	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon	0.30	0.14	0.31	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.12	0.27	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.12	0.27	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	NA	NA	NA	NA	

Clad 2 1/4" Outswing French Door with Panels - 1" IG

Insulating Low E 272 Glass - Argon	0.31	0.11	0.18	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.10	0.15	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.10	0.15	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon	0.30	0.07	0.16	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.07	0.14	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.07	0.14	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	NA	NA	NA	NA	

Clad Ultimate Sliding French Door - 3/4" IG

Insulating Low E 272 Glass - Argon	0.31	0.27	0.45	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.23	0.39	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.23	0.39	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.31	0.23	0.39	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.31	0.18	0.40	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.16	0.35	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.16	0.35	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.31	0.16	0.35	N, NC, SC, S	

Clad Sliding Patio Door - 3/4" IG

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit
Insulating Low E 272 Glass - Argon	0.30	0.32	0.54	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.28	0.47	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.28	0.47	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.30	0.28	0.47	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.30	0.21	0.49	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.19	0.43	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.19	0.43	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.30	0.19	0.43	N, NC, SC, S	X

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Meets SP Criteria
Wood Units					
Wood Inswing French Door - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.30	0.24	0.40	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.21	0.34	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.21	0.34	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.30	0.21	0.34	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.30	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.14	0.31	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.14	0.31	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.30	0.14	0.31	N, NC, SC, S	X

Wood Inswing French Door Sidelite - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.31	0.22	0.37	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.20	0.33	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.20	0.33	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.31	0.20	0.33	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon, GBG	NA	NA	NA	NA	

Wood Inswing French Door Sidelite Transom - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.28	0.29	0.50	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.29	0.26	0.45	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.28	0.26	0.45	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.28	0.26	0.45	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.28	0.19	0.45	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.29	0.18	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.28	0.18	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.28	0.18	0.40	N, NC, SC, S	X

Wood French Door Transom - 3/4" IG

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit
Insulating Low E 272 Glass - Argon	0.29	0.27	0.46	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.24	0.40	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.24	0.40	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.29	0.24	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.29	0.18	0.41	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.29	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.29	0.16	0.36	N, NC, SC, S	X

Wood 2 1/4" Inswing French Door - 1" IG

Insulating Low E 272 Glass - Argon	0.29	0.35	0.21	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.29	0.30	0.18	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.30	0.18	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon	*	*	*	*	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	*	*	*	*	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	*	*	*	*	
Insulating Low E 366 Glass - Argon, GBG	*	*	*	*	

Wood Outswing and Ultimate French Door) - 3/4" IG

Insulating Low E 272 Glass - Argon	0.31	0.24	0.40	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.21	0.34	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.21	0.34	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.31	0.21	0.34	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.30	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.14	0.31	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.14	0.31	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.30	0.14	0.31	N, NC, SC, S	X

Wood Outswing/Ulimate French Door Sidelite - 3/4" IG

Insulating Low E 272 Glass - Argon	0.31	0.22	0.37	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.32	0.20	0.33	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.20	0.33	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.31	0.20	0.33	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.31	0.15	0.33	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.13	0.29	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.31	0.13	0.29	N, NC, SC, S	
Insulating Low E 366 Glass - Argon, GBG	0.31	0.13	0.29	N, NC, SC, S	

Wood Outswing/Ulimate French Door Transom - 3/4" IG

Insulating Low E 272 Glass - Argon	0.29	0.27	0.46	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.24	0.40	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.24	0.40	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.29	0.24	0.40	N, NC, SC, S	X

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit
Insulating Low E 366 Glass - Argon	0.29	0.18	0.41	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.16	0.36	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.29	0.16	0.36	N, NC, SC, S	X

Wood Outswing Ultimate French Door Sidelite Transom - 3/4" IG

Insulating Low E 272 Glass - Argon	0.28	0.29	0.50	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.29	0.26	0.45	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.28	0.26	0.45	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.28	0.26	0.45	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.28	0.19	0.45	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.29	0.18	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.28	0.18	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.28	0.18	0.40	N, NC, SC, S	X

Wood Ultimate Sliding French Door - 3/4" IG

Insulating Low E 272 Glass - Argon	0.30	0.26	0.45	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.31	0.23	0.39	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.30	0.23	0.39	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.30	0.23	0.39	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.29	0.18	0.40	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.16	0.35	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.16	0.35	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.29	0.16	0.35	N, NC, SC, S	X

Wood Sliding Patio Door - 3/4" IG

Insulating Low E 272 Glass - Argon	0.29	0.31	0.54	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.28	0.47	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.28	0.47	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	0.29	0.28	0.47	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon	0.28	0.21	0.49	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.19	0.42	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.28	0.19	0.42	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.28	0.19	0.42	N, NC, SC, S	X

Wood 2 1/4" Outswing French Door - 1" IG

Insulating Low E 272 Glass - Argon	0.29	0.35	0.21	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.30	0.30	0.18	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.29	0.30	0.18	N, NC, SC, S	X
Insulating Low E 272 Glass - Argon, GBG	NA	NA	NA	NA	
Insulating Low E 366 Glass - Argon	*	*	*	*	
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	*	*	*	*	
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	*	*	*	*	
Insulating Low E 366 Glass - Argon, GBG	*	*	*	*	

NFRC PRODUCT WITH PRODUCT CODE	U Value	SHGC	VLT	ENERGY STAR	Qualifies for Tax Credit
--------------------------------	---------	------	-----	-------------	--------------------------

Wood Direct Glaze Door Transom - 3/4" IG					
Insulating Low E 272 Glass - Argon	0.26	0.37	0.64	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/ Spacer Bar < 1"	0.28	0.33	0.57	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, SDL w/o Spacer Bar < 1"	0.26	0.33	0.57	N, NC, SC, S	
Insulating Low E 272 Glass - Argon, GBG	0.26	0.33	0.57	N, NC, SC, S	
Insulating Low E 366 Glass - Argon	0.26	0.24	0.57	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/ Spacer Bar < 1"	0.27	0.22	0.51	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, SDL w/o Spacer Bar < 1"	0.26	0.22	0.51	N, NC, SC, S	X
Insulating Low E 366 Glass - Argon, GBG	0.26	0.22	0.51	N, NC, SC, S	X

* Product Energy Value Verification is currently in process. Charts will be completed when we receive the data.

** Please note that this chart provides data for products with Argon-filled glazing. Marvin has many more glazing options.

*** Tinted glass is also available. Tints will not affect the product's u-value, but would reduce its SHGC.